ELSEVIER

Neuroscience Letters 311 (2001) 209–211

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 311

Acosta, G.B., see Boccia, M.M., 153
Aguilar, E., see Pinilla, L., 149
Apkarian, A.V., Thomas, P.S., Krauss, B.R., Szeverenyi, N.M., Prefrontal cortical hyperactivity in patients with sympathetically mediated chronic pain, 193
Azzena, G.B., see Mancinelli, R., 101

Baas, F., see De Jonge, R.R., 61
Bagetta, G., see Mancinelli, R., 101
Ball, G.F., see Maney, D.L., 189
Baratti, C.M., see Boccia, M.M., 153
Bellomi, P., see Bileviciute-Ljungar, I., 157
Benoliel, R., see Eliav, E., 49
Bergman, J., see Brück, A., 81
Bernard, D.J., see Maney, D.L., 189
Bhattacharya, J., Petsche, H., Feldmann, U., Rescher, B., EEG gamma-band phase synchronization between posterior and frontal cortex during mental rotation in humans, 29
Bielik, N., see Maksay, G., 169
Biella, G., see Bileviciute-Ljungar, I., 157
Bileviciute-Ljungar, I., Biella, G., Bellomi, P., Sotgiu, M.L., Contralateral treatment with lidocaine reduces spinal neuronal activity in mononeuropathic rats, 157
Boccia, M.M., Acosta, G.B., Baratti, C.M., Memory improving actions of gabapentin in mice: possible involvement of central muscarinic cholinergic mechanism, 153
Born, J., see Hallschmid, M., 173
Boutet, A., Salim, H., Leclerc, P., Tardieu, M., Cellular expression of functional chemokine receptor CCR5 and CXCR4 in human embryonic neurons, 105
Brück, A., Portin, R., Lindell, A., Laihinen, A., Bergman, J., Haaparanta, M., Solin, O., Rinne, J.O., Positron emission tomography shows that impaired frontal lobe functioning in Parkinson's disease is related to dopaminergic hypofunction in the caudate nucleus, 81
Buchanan, T.S., see Kutch, J.J., 97
Buisseret, P., see Dauvergne, C., 109
Buisseret-Delmas, C., see Dauvergne, C., 109

Cespuglio, R., see Charifi, C., 113
Chan, Y.-C., see Yang, D.-Y., 121
Chang, J.-K., see Sun, R.-Q., 13
Charifi, C., Debilly, G., Paut-Pagano, L., Cespuglio, R., Valatx, J.L., Effect of noradrenergic denervation of medial prefrontal cortex and dentate gyrus on recovery after sleep deprivation in the rat, 113
Chen, I.-L., see Yang, D.-Y., 121
Cheng, F.-C., see Yang, D.-Y., 121
Craighead, M.W., Middlehurst, K.M.L., LeFeuvre, R., Kimber, I., Rothwell, N.J., Oxidised adenosine 5′-triphosphate, a $P2X_7$ antagonist, is toxic to rat cerebellar granule neurones in vitro, 77

Dauvergne, C., Pinganaud, G., Buisseret, P., Buisseret-Delmas, C., Zerari-Mailly, F., Reticular premotor neurons projecting to both facial and hypoglossal nuclei receive trigeminal afferents in rats, 109
De Jonge, R.R., Van Schaik, I.N., Vermeulen, M., Kwa, M.S.G., Baas, F., cAMP is involved in the differentiation of human teratocarcinoma cells, 61
de Silva, R., Weiler, M., Morris, H.R., Martin, E.R., Wood, N.W., Lees, A.J., Strong association of a novel Tau promoter haplotype in progressive supranuclear palsy, 145
Debilly, G., see Charifi, C., 113
DePetrillo, P.B., see Rackoff, J., 129
Dixon, A.K., see Yusaf, S.P., 137
Doi, H., see Omoto, S., 198

Edwards, E., see Shumake, J., 45
Eliav, E., Benoliel, R., Tal, M., Inflammation with no axonal damage of the rat saphenous nerve trunk induces ectopic discharge and mechanosensitivity in myelinated axons, 49

Fabrizi, A., see Mancinelli, R., 101
Fehm, H.L., see Hallschmid, M., 173
Feldmann, U., see Bhattacharya, J., 29
Fodor, L., see Maksay, G., 169
Fowler, G.A., Sherk, H., Prolonged survival of axons terminating within lesions of cat visual cortex, 66
Funahashi, M., Higuchi, H., Miyawaki, T., Shimada, M., Matsuo, R., Propofol suppresses a hyperpolarization-activated inward current in rat hippocampal CA1 neurons, 177

Gerlič, I., see Jaušovec, N., 93
Gonzalez, L.C., see Pinilla, L., 149
Gonzalez-Lima, F., see Shumake, J., 45
Goodman, J., see Yusaf, S.P., 137
Gu, Y., see Wang, Y., 33

Haaparanta, M., see Brück, A., 81
Hallschmid, M., Mölle, M., Wagner, U., Fehm, H.L., Born, J., Drinking related direct current positive potential shift in the human EEG depends on thirst, 173
Han, J.-S., see Sun, R.-Q., 13
He, Y., Hof, P.R., Janssen, W.G.M., Rothstein, J.D., Morrison, J.H., Differential synaptic localization of GluR2 and EAAC1 in the macaque monkey entorhinal cortex: a postembedding immunogold study, 161
Higuchi, H., see Funahashi, M., 177
Hirata, M., see Suzuki, T., 89
Hirata, Y., Kiuchi, K., Nagatsu, T., Manganese mimics the action of 1-methyl-4-phenylpyridinium ion, a dopaminergic neurotoxin, in rat striatal tissue slices, 53
Hof, P.R., see He, Y., 161
Hooper, D.C., see Scott, G.S., 125

PII: S0304-3940(01)02275-3

Horie, S., see Nemoto, T., 117
Hoya, N., Ogawa, K., Inoue, Y., Takiguchi, Y., Kanzaki, J., The glutamate receptor agonist, AMPA, induces acetylcholine release in guinea pig cochlea; a microdialysis study, 206

Inn-Oc, H., see Yang, M.-S., 133
Inoue, Y., see Hoya, N., 206
Inui, K., see Qiu, Y., 181
Ishida, Y., see Ishikawa, A., 57
Ishikawa, A., Ishida, Y., Nakamura, S., Neurons in the lateral paragigantocellular nucleus projecting to the infralimbic cortex in rats: electrical activity and response to changes in blood pressure, 57

Janssen, W.G.M., see He, Y., 161
Jaušovec, K., see Jaušovec, N., 93
Jaušovec, N., Jaušovec, K., Gerlič, I., Differences in event-related and induced EEG patterns in the theta and alpha frequency bands related to human emotional intelligence, 93
Joe, E.-h., see Yang, M.-S., 133
Jou, I., see Yang, M.-S., 133

Kaji, R., see Nishimura, M., 1
Kakigi, R., see Qiu, Y., 181
Kanagawa, M., see Suzuki, T., 89
Kaneko, T., see Li, J.-L., 185
Kanzaki, J., see Hoya, N., 206
Kawashima, K., see Suzuki, T., 89
Kean, R.B., see Scott, G.S., 125
Kimber, I., see Craighead, M.W., 77
Kiuchi, K., see Hirata, Y., 53
Kobayashi, S., Shirao, T., Sasaki, T., Drebrin expression is increased in spinal motoneurons of rats after axotomy, 165
Koito, H., see Shimizu-Okabe, C., 203
Konat, G.W., see LoPresti, P., 142
Koyano, S., see Omoto, S., 198
Krauss, B.R., see Apkarian, A.V., 193
Krishnan, K.S., see Sanyal, S., 21
Kudo, Y., see Suzuki, T., 89
Kudoh, M., see Watanabe, S., 25
Kuno, S., see Nishimura, M., 1
Kuroiwa, Y., see Omoto, S., 198
Kutch, J.J., Buchanan, T.S., Human elbow joint torque is linearly encoded in electromyographic signals from multiple muscles, 97
Kwa, M.S.G., see De Jonge, R.R., 61

Laihinen, A., see Brück, A., 81
Lakke, E.A.J.F., see Mouveroux, J.M.P., 69
Lau, Y.-S., see Wang, J.Q., 5
Leclerc, P., see Boutet, A., 105
Lee, K., see Yusaf, S.P., 137
Lee, M.-S., see Yang, D.-Y., 121
Lees, A.J., see de Silva, R., 145
LeFeuvre, R., see Craighead, M.W., 77
Li, J.-L., Li, Y.-Q., Nomura, S., Kaneko, T., Mizuno, N., Protein kinase C gamma-like immunoreactivity in the substantia gelatinosa of the medullary dorsal horn of the rat, 185
Li, M., see Omoto, S., 198
Li, Y.-Q., see Li, J.-L., 185
Lindell, A., see Brück, A., 81
Liu, J.-D., see Zou, C.-J., 41

LoPresti, P., Konat, G.W., Hydrogen peroxide induces transient dephosphorylation of tau protein in cultured rat oligodendrocytes, 142
Lutz, P.L., see Söderström-Lauritzsen, V., 85

Maksay, G., Fodor, L., Bielik, N., Tarnawa, I., Bicarbonate and thiocyanate ions affect the gating of γ-aminobutyric $acid_A$ receptors in cultured rat cortical cells, 169
Mancinelli, R., Fabrizi, A., Vargiu, R., Morrone, L., Bagetta, G., Azzena, G.B., Functional role of inducible nitric oxide synthase on mouse colonic motility, 101
Maney, D.L., Bernard, D.J., Ball, G.F., Gonadal steroid receptor mRNA in catecholaminergic nuclei of the canary brainstem, 189
Marani, E., see Mouveroux, J.M.P., 69
Martin, E.R., see de Silva, R., 145
Matsuda, Y., see Shimizu-Okabe, C., 203
Matsugi, T., see Suzuki, T., 89
Matsuo, R., see Funahashi, M., 177
Middlehurst, K.M.L., see Craighead, M.W., 77
Minami, M., Yamakuni, H., Ohtani, Y., Okada, M., Nakamura, J., Satoh, M., Leukemia inhibitory factor induces nociceptin mRNA in cultured rat cortical neurons, 17
Miyawaki, T., see Funahashi, M., 177
Mizuno, N., see Li, J.-L., 185
Mizuta, E., see Nishimura, M., 1
Mizuta, I., see Nishimura, M., 1
Mölle, M., see Hallschmid, M., 173
Morris, H.R., see de Silva, R., 145
Morrison, J.H., see He, Y., 161
Morrone, L., see Mancinelli, R., 101
Mouveroux, J.M.P., Lakke, E.A.J.F., Marani, E., Lumbar spinal cord explants from neonatal rat display age-related decrease of outgrowth in culture, 69
Murayama, T., see Nemoto, T., 117

Nagatsu, T., see Hirata, Y., 53
Nakamura, J., see Minami, M., 17
Nakamura, S., see Ishikawa, A., 57
Nakamura, T., see Suzuki, T., 89
Nemoto, T., Horie, S., Okuma, Y., Nomura, Y., Murayama, T., Possible involvement of amino acid transporters on S-nitroso-cysteine-induced inhibition of arachidonic acid release in PC12 cells, 117
Nilsson, G.E., see Söderström-Lauritzsen, V., 85
Nishimura, M., Mizuta, I., Mizuta, E., Yamasaki, S., Ohta, M., Kaji, R., Kuno, S., Tumor necrosis factor gene polymorphisms in patients with sporadic Parkinson's disease, 1
Nomura, S., see Li, J.-L., 185
Nomura, Y., see Nemoto, T., 117
Nougier, V., see Vuillerme, N., 73

Ogawa, K., see Hoya, N., 206
Ohkuma, H., Tsurutani, H., Suzuki, S., Changes of beta-actin mRNA expression in canine vasospastic basilar artery after experimental subarachnoid hemorrhage, 9
Ohnishi, K., see Watanabe, S., 25
Ohta, M., see Nishimura, M., 1
Ohtani, Y., see Minami, M., 17
Okada, M., see Minami, M., 17
Okuma, Y., see Nemoto, T., 117
Omoto, S., Kuroiwa, Y., Li, M., Doi, H., Shimamura, M., Koyano, S., Segawa, H., Suzuki, Y., Modulation of event-related potentials in normal

human subjects by visual divided attention to spatial and color factors, 198

Pallanck, L., see Sanyal, S., 21
Paut-Pagano, L., see Charifi, C., 113
Petsche, H., see Bhattacharya, J., 29
Pinganaud, G., see Dauvergne, C., 109
Pinilla, L., Gonzalez, L.C., Tena-Sempere, M., Aguilar, E., Evidence for an estrogen-like action of raloxifene upon the hypothalamic-pituitary unit: raloxifene inhibits luteinizing hormone secretion and stimulates prolactin secretion in ovariectomized female rats, 149
Pinnock, R.D., see Yusaf, S.P., 137
Portin, R., see Brück, A., 81

Qiu, Y., Inui, K., Wang, X., Tran, T.D., Kakigi, R., Conduction velocity of the spinothalamic tract in humans as assessed by CO_2 laser stimulation of C-fibers, 181

Rackoff, J., Yang, Q., DePetrillo, P.B., Inhibition of rat PC12 cell calpain activity by glutathione, oxidized glutathione and nitric oxide, 129
Rescher, B., see Bhattacharya, J., 29
Rinne, J.O., see Brück, A., 81
Rothstein, J.D., see He, Y., 161
Rothwell, N.J., see Craighead, M.W., 77

Salim, H., see Boutet, A., 105
Sanyal, S., Tolar, L.A., Pallanck, L., Krishnan, K.S., Genetic interaction between *shibire* and *comatose* mutations in *Drosophila* suggest a role for snap-receptor complex assembly and disassembly for maintenance of synaptic vesicle cycling, 21
Sasaki, T., see Kobayashi, S., 165
Satoh, M., see Minami, M., 17
Schröger, E., see Wolff, C., 37
Scott, G.S., Kean, R.B., Southan, G.J., Szabó, C., Hooper, D.C., Effect of mercaptoethylguanidine scavengers of peroxynitrite on the development of experimental allergic encephalomyelitis in PLSJL mice, 125
Segawa, H., see Omoto, S., 198
Sherk, H., see Fowler, G.A., 66
Shibuki, K., see Watanabe, S., 25
Shimada, M., see Funahashi, M., 177
Shimamura, M., see Omoto, S., 198
Shimizu-Okabe, C., Matsuda, Y., Koito, H., Yoshida, S., L-isoform but not S-isoform of myelin associated glycoprotein promotes neurite outgrowth of mouse cerebellar neurons, 203
Shirao, T., see Kobayashi, S., 165
Shumake, J., Edwards, E., Gonzalez-Lima, F., Hypermetabolism of paraventricular hypothalamus in the congenitally helpless rat, 45
Söderström-Lauritzsen, V., Nilsson, G.E., Lutz, P.L., Effect of anoxia and adenosine on cerebral blood flow in the leopard frog *(Rana pipiens)*, 85
Solin, O., see Brück, A., 81
Sotgiu, M.L., see Bileviciute-Ljungar, I., 157
Southan, G.J., see Scott, G.S., 125
Sun, R.-Q., Wang, Y., Zhao, C.-S., Chang, J.-K., Han, J.-S., Changes in brain content of nociceptin/orphanin FQ and endomorphin 2 in a rat model of neuropathic pain, 13
Suzuki, S., see Ohkuma, H., 9
Suzuki, T., Matsugi, T., Takagi, R., Kanagawa, M., Hirata, M., Nakamura, T., Kudo, Y., Kawashima, K., Functional expression of alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors precedes the development of cholinergic phenotype in embryonic rat septal cells in culture, 89
Suzuki, Y., see Omoto, S., 198
Szabó, C., see Scott, G.S., 125
Szeverenyi, N.M., see Apkarian, A.V., 193

Takagi, R., see Suzuki, T., 89
Takiguchi, Y., see Hoya, N., 206
Tal, M., see Eliav, E., 49
Tardieu, M., see Boutet, A., 105
Tarnawa, I., see Maksay, G., 169
Teasdale, N., see Vuillerme, N., 73
Tena-Sempere, M., see Pinilla, L., 149
Thomas, P.S., see Apkarian, A.V., 193
Tolar, L.A., see Sanyal, S., 21
Tran, T.D., see Qiu, Y., 181
Tsurutani, H., see Ohkuma, H., 9

Valatx, J.L., see Charifi, C., 113
Van Schaik, I.N., see De Jonge, R.R., 61
Vargiu, R., see Mancinelli, R., 101
Vermeulen, M., see De Jonge, R.R., 61
Vuillerme, N., Teasdale, N., Nougier, V., The effect of expertise in gymnastics on proprioceptive sensory integration in human subjects, 73

Wagner, U., see Hallschmid, M., 173
Wang, J.Q., Lau, Y.-S., Dose-related alteration in nitric oxide synthase mRNA expression induced by amphetamine and the full D1 dopamine receptor agonist SKF-82958 in mouse striatum, 5
Wang, M.-F., see Yang, D.-Y., 121
Wang, S.-R., see Wang, Y., 33
Wang, X., see Qiu, Y., 181
Wang, Y., Gu, Y., Wang, S.-R., Directional responses of basal optic neurons are modulated by the nucleus lentiformis mesencephali in pigeons, 33
Wang, Y., see Sun, R.-Q., 13
Watanabe, S., Kudoh, M., Ohnishi, K., Shibuki, K., Long-lasting memory of sounds combined with reward in rats, 25
Weiler, M., see de Silva, R., 145
Wolff, C., Schröger, E., Human pre-attentive auditory change-detection with single, double, and triple deviations as revealed by mismatch negativity additivity, 37
Wood, N.W., see de Silva, R., 145

Yamakuni, H., see Minami, M., 17
Yamasaki, S., see Nishimura, M., 1
Yang, D.-Y., Wang, M.-F., Chen, I.-L., Chan, Y.-C., Lee, M.-S., Cheng, F.-C., Systemic administration of a water-soluble hexasulfonated C_{60} (FC_4S) reduces cerebral ischemia-induced infarct volume in gerbils, 121
Yang, M.-S., Jou, I., Inn-Oc, H., Joe, E.-h., Sphingomyelinase but not ceramide induces nitric oxide synthase expression in rat brain microglia, 133
Yang, Q., see Rackoff, J., 129
Yoshida, S., see Shimizu-Okabe, C., 203
Yusaf, S.P., Goodman, J., Pinnock, R.D., Dixon, A.K., Lee, K., Expression of voltage-gated calcium channel subunits in rat dorsal root ganglion neurons, 137

Zerari-Mailly, F., see Dauvergne, C., 109
Zhao, C.-S., see Sun, R.-Q., 13
Zhou, Y.-C., see Zou, C.-J., 41
Zou, C.-J., Liu, J.-D., Zhou, Y.-C., Roles of central interleukin-1 on stress-induced-hypertension and footshock-induced-analgesia in rats, 41